

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application. Please amend claims 1-4 and 7 and add new claims 12-17 as follows:

LISTING OF CLAIMS:

1. (Currently Amended) A method of image processing comprising the steps of:

receiving image data of an original image, the original image having ~~[[with]]~~ character images provided on a background image;

extracting areas from the image data which correspond ~~in correspondence~~ to the character images ~~from the image data~~;

generating character code data based on the extracted character images ~~areas in the image data~~;

changing the image data by replacing the extracted areas ~~to replace the~~ character image with the background image with reference to the image data ~~thereby~~ therein generating changed image data representing an image which is same as the original image except ~~for lacking~~ without the ~~replaced~~ character images ~~therefrom~~; and

storing the changed image data and the character code data along with a relationship between them.

2. (Original) A method of image processing comprising the steps of:
converting character image data in image data of an original image to character code data; and

complementing the character image data based on image data around the character image data therein changing image data representing an image which is same as the original image except without the character image data.

3. (Original) A method of image processing comprising the steps of:
converting character image data in image data of an original image to character code data;

complementing the character image data based on image data around the character image data therein generating changed image data representing an image which is same as the original image except without the characters image data; and

storing the character code data and the changed image data ~~including the complemented character image data~~ along with a relationship between them.

4. (Currently Amended) An image processor comprising:
a reader which reads an original image of a document to provide image data thereof;

a converter which determines character code data of character image data in correspondence to character image in the image data;

an acquiring device which determines position data on a position in the character image data converted to character code data in the image data;

a corrector which changes the character image data to the same as a color of an image around the character image with reference to the image data ~~thereby~~ therein generating changed image data representing an image which is same as the

original image except ~~for lacking~~ without the replaced character images ~~therefrom~~;
and

a storage device which stores the character code data and the changed image data including the complemented character image data along with a relationship between them.

5. (Previously Presented) The image processor according to claim 4, wherein said acquiring device further determines font and font size based on the character image data in correspondence to the character image in the image data.

6. (Original) The image processor according to claim 4, further comprising a processor which generates print data for printing the document image, based on the character code data, the position data and the image data stored in said storage device.

7. (Currently Amended) An image processor which converts character image data in image data to character code data comprising:

an extractor which extracts character image data in image data of an original image ~~[[with]], the original image having~~ character images provided on a background image;

a converter which converts the extracted character image data to character code data;

a deleter which deletes the character images ~~[[on]]~~ from the background image with reference to the image data ~~thereby~~ therein generating changed image

data representing an image which is same as the original image except ~~for lacking~~
without the replaced character images therefrom; and

a synthesizer which synthesizes the character code data with the changed
image data ~~[[from]]~~.

8. (Original) The image processor according to claim 7, wherein said
deleter complements the image data at an area of the character images on the
background image according to image data of an ambient background image of the
area.

9. (Original) The image processor according to claim 7, wherein said
converter does not convert a character image data to a character code data when an
area of the character image data has color change.

10. (Previously Presented) The image processor according to claim 7,
wherein said extractor extracts character image data character by character.

11. (Previously Presented) The image processor according to claim 7,
wherein said extractor extracts the character image data in the unit of word.

12. (New) The method according to claim 1, wherein, in the generating
step, the character code data are generated in reference to color information on the
character images.

13. (New) The method according to claim 2, wherein, in the converting step, the character code data are generated in reference to color information on the character images.

14. (New) The method according to claim 3, wherein, in the converting step, the character code data are generated in reference to color information on the character images.

15. (New) The image processor according to claim 4, wherein the converter determines the character code data in reference to color information on the character images.

16. (New) The image processor according to claim 7, wherein the converter converts the extracted character images to the character code data in reference to color information on the character images.

17. (New) A method of image processing comprising the steps of:
receiving image data of an original image, the original image having at least one character image on a background image;
generating character code data based on the at least one character image with reference to color information on the at least one character image;
generating changed image data representing an image which is same as the original image except without the at least one character image by replacing image data of the at least one character image that has been converted into the

character code data with image data of the background image; and

storing the changed image data and the character code data along with
a relationship between them.